D.N. 0100.00

We Claim:

5

- 1. An immunovariant strain of *Eimeria maxima*, said immunovariant strain designated *E. maxima*-I.
- 2. An immunovariant strain of *Eimeria maxima* that corresponds in characteristics to the strain *E. maxima*-I.
- 3. A vaccine for use in combating coccidiosis in chickens comprising an effective concentration of oocysts of *E. maxima*-I together with a pharmaceutically and/or veterinarally acceptable carrier, diluent, excipient and/or adjuvant.
 - 4. A vaccine for use in combating coccidiosis in chickens comprising an effective concentration of oocysts of an immunovariant strain of *Eimeria maxima* that corresponds in characteristics to the strain *E. maxima-*I together with a pharmaceutically and/or veterinarally acceptable carrier, diluent, excipient and/or adjuvant.
 - 5. The vaccine of Claim 3 comprising oocysts of other species or strains of Eimeria.
- 20 6. The vaccine of Claim 4 comprising oocysts of other species or strains of Eimeria.
 - 7. The vaccine of Claim 5 or Claim 6 further comprising immunogens related to other pathogens of poultry.
- 8. A method of inhibiting coccidiosis in poultry which comprises administering to the chickens an effective amount of a vaccine as claimed in Claim 5.

5

15

20

ΠĮ

Į.;;

- 9. A method of inhibiting coccidiosis in poultry which comprises administering to the chickens an effective amount of a vaccine as claimed in Claim 6.
- 10. A method of inhibiting coccidiosis in poultry which comprises administering to the chickens an effective amount of a vaccine as claimed in Claim 5 together with an effective amount of an anticoccidial medication.
- 11. A method of inhibiting coccidiosis in poultry which comprises administering to the chickens an effective amount of a vaccine as claimed in Claim 6 together with an effective amount of an anticoccidial medication.
 - 12. A method of obtaining an immunovariant strain of *Eimeria maxima* from *Eimeria maxima* FL strain comprising:
 - a. immunizing birds with oocysts of E. maxima-GLP;
 - b. challenging said birds with oocysts of E. maxima-FL;
 - c. recovering oocysts from birds which had been immunized with *E. maxima*-GLP and challenged with *E. maxima*-FL;
 - d. challenging E. maxima-GLP-immunized birds with said recovered oocysts;
 - e. recovering oocysts;
- 25 f. repeating steps d and e at least one time; and
 - g. obtaining an immunovariant strain of E. maxima.

D.N. 0100.00

the their their time is it into the

13. An immunovariant strain of Eimeria maxima isolated by the method of Claim 10.